



CSPB

CUT-OFF BLADE



✓ **CSPB CUT-OFF BLADE**



- 3 way powerful clamping
 - ◎ 2 sides of V-rail & 1 supporting guide
- Optimized cutting edge treatment
 - ◎ Negaland
 - ◎ Enhanced stiffness for large Ap or interrupted condition
- Wide chip pocket design
 - ◎ for better chip control

CSPB KIT

Kit for CSPB




KIT Item
KIT-CSPB26-2&SP200-TK&TC5135
KIT-CSPB26-2&SP200-TK&TP0525
KIT-CSPB26-3&SP300-TK&TC5135
KIT-CSPB26-3&SP300-TK&TP0525
KIT-CSPB26-4&SP400-TK&TC5135
KIT-CSPB26-4&SP400-TK&TP0525
KIT-CSPB32-3&SP300-TK&TC5135
KIT-CSPB32-3&SP300-TK&TP0525
KIT-CSPB32-4&SP400-TK&TC5135
KIT-CSPB32-4&SP400-TK&TP0525
KIT-CSPB32-5&SP500-TK&TC5135
KIT-CSPB32-5&SP500-TK&TP0525

Holder	PZ	Insert	PZ
CSPB26-2	1	SP200-TK TC5135	50
CSPB26-2	1	SP200-TK TP0525	50
CSPB26-3	1	SP300-TK TC5135	50
CSPB26-3	1	SP300-TK TP0525	50
CSPB26-4	1	SP400-TK TC5135	50
CSPB26-4	1	SP400-TK TP0525	50
CSPB32-3	1	SP300-TK TC5135	50
CSPB32-3	1	SP300-TK TP0525	50
CSPB32-4	1	SP400-TK TC5135	50
CSPB32-4	1	SP400-TK TP0525	50
CSPB32-5	1	SP500-TK TC5135	50
CSPB32-5	1	SP500-TK TP0525	50

CSPB

Holder for SP 000



Item	Dimension (mm)				Insert	Wrench	Sto.
	H	W	L	h			
CSPB26-2	26	1.6	110	21	SP200 R/L	CSW15S*	●
CSPB26-3	26	2.4	110	21	SP300 R/L		●
CSPB26-4	26	3.2	110	21	SP400 R/L		●
CSPB32-3	32	2.4	150	25	SP300 R/L		●
CSPB32-4	32	3.2	150	25	SP400 R/L		●
CSPB32-5	32	4	150	25	SP500 R/L		●





* Wrench is extra sales item.

TP0525

- PVD Coating- Advanced AlTiN
- Optimization for grooving and drilling due to combining the substrate of superior wear resistance and toughness with the coating of excellent oxidation/chipping resistance

TC5135

- CVD Coating (MT-TiCN + Al₂O₃ + TiN, pre/post treatment)
- Excellent grade for high speed and continuous cut of steel, cast iron and stainless steel.



Appearance	Item	Grade				Drawing	Dimension (mm)		
		TC5525P	TC5135	TP0525	TP0535		W	r	l
	SP200-TK		●	●			2.2	9.3	0.2
	SP300-TK		●	●			3.1	3.2	0.2
	SP400-TK		●	●			4.1	11.3	0.25
	SP500-TK						5.1	11.4	0.3

210917

KAY-J



[13207] megadong 1011-ho, SKN technopark, Sagimakgol-ro 124,
Jungwon-gu, Seongnam-si, Gyeonggi-do, Republic of Korea

TEL. +82. 70. 8731. 1115
Email. kceraexport@gmail.com

FAX. +82. 70. 8731. 1114